Author Index

Abbott, R. J. (see Ren, Z.), 673
Ambasht, R. S. (see Shardendu,), 493
Aphalo, P. J., Gibson, D. & Di Benedetto, A. H., Responses of growth, photosynthesis, and leaf conductance to white light irradiance and end-of-day red and far-red pulses in *Fuchsia magellanica* Lam., 461
Armstrong, W. (see Justin, S. H. F. W.), 607
Ashenden, T. W. (see Rafarel, C. R.), 345
Atkinson, C. J., Wookey, P. A. & Mansfield, T. A., Atmospheric pollution and the sensitivity of stomata on barley leaves to abscisic acid and carbon dioxide, 535
Azcón, R., Rubio, R. & Barea, J. M., Selective interactions between different species of mycorrhizal fungi and *Rhizobium meliloti* strains, and their effects on growth, N_2-fixation (^{15}N) and nutrition of *Medicago sativa* L., 399
Ball, E., Hann, J., Kluge, M., Lee, H. S. J., Lüttge, U., Orthen, B., Popp, M., Schmitt, A. & Ting, I. P., Ecophysiological comportment of the tropical CAM-tree *Clusia* in the field. I. Growth of *Clusia rosea* Jacq. on St John, US Virgin Islands, Lesser Antilles, 473
——, Hann, J., Kluge, M., Lee, H. S. J., Lüttge, U., Orthen, B., Popp, M., Schmitt, A., Ting, I. P., Ecophysiological comportment of the tropical CAM-tree *Clusia* in the field. II. Modes of photosynthesis in trees and seedlings, 483
Barea, J. M. (see Azcón, R.), 399
Beffagna, N. (see Romani, G.), 431
Berlyn, G. P. (see Boyce, R. L.), 543
Beyrle, H., Penningsfeld, F. & Hock, B., The role of nitrogen concentration in determining the outcome of the interaction between *Dactylorhiza incarnata* (L.) Soó and *Rhizoctonia* sp., 665
Block, M. (see Briggs, D.), 153
Boddy, L. (see Griffith, G. S.), 251, 259, 633
Boersma, L. (see Dosskey, M. G.), 327
Boyce, R. L., McCune, D. C. & Berlyn, G. P., A comparison of foliar wettability of red spruce and balsam fir growing at high elevation, 543
Briggs, D., Hodkinson, H. & Block, M., Precociously developing individuals in populations of chickweed [*Stellaria media* (L.) Vill.] from different habitat types, with special reference to the effects of weed control measures, 153
Clark, A. G. (see Sanders, G. E.), 439
Collins Johnson, N., Pfleger, F. L., Kent Crookston, R., Simmons, S. R. & Copeland, P. J., Vesicular–arbuscular mycorrhizas respond to corn and soybean cropping history, 657
Colls, J. J. (see Sanders, G. E.), 439
Copeland, P. J. (see Collins Johnson, N.), 657
Culvenor, R. A. & Simpson, R. J., Mobilization of nitrogen in swards of *Trifolium subterraneum* L. during regrowth after defoliation, 81
Davies, M. S., Francis, D. & Thomas, J. D., Rapidity of cellular changes induced by zinc in a zinc-tolerant and non-tolerant cultivar of *Festuca rubra* L., 103
Deacon, J. W. (see Jones, S. W.), 289
Di Benedetto, A. H. (see Aphalo, P. J.), 461
Dickson, J. H. (see Steven, G.), 501
Diettrich, B. & Keller, F., Carbohydrate transport in discs of storage parenchyma of celery petioles. I. Uptake of glucose and fructose, 413
Dilworth, M. J. (see Tang, C.), 243
Donaldson, S. P. (see Jones, S. W.), 289
Dosskey, M. G., Boersma, L. & Linderman, R. G., Role for the photosynthate demand of ectomycorrhizas in the response of Douglas fir seedlings to drying soil, 327
Duckett, J. G. (see Renzaglia, K. S.), 187
Egger, A. (see Thoene, B.), 575
Elo, H. A. (see Lapinjoki, S. P.), 219
Erland, S. & Söderström, B., Effects of liming on ectomycorrhizal fungi infecting *Pinus sylvestris* L. III. Saprophytic growth and host plant infection at different pH values in unsterile humus, 405
Evans, L. S. & Leonard, M. R., Histological determination of ozone injury symptoms of primary needles of giant sequoia (*Sequoiadendron giganteum* Bucch.), 557
Fagerstedt, K. V. (see Maijala, P.), 643
Francis, D. (see Davies, M. S.), 103
Galatis, B., Aberrant sieve element differentiation in primary leaves of *Vigna sinensis* Endl. affected by colchicine, 619
Gianinazzi, S. (see Gianinazzi-Pearson, V.), 61
Gianinazzi-Pearson, V., Smith, S. E., Gianinazzi, S. & Smith, F. A., Enzymatic studies on the metabolism of vesicular–arbuscular mycorrhizas. V. Is H^+-ATPase a component of ATP-hydrolysing enzyme activities in plant–fungus interfaces?, 61
Gibson, D. (see Aphalo, P. J.), 461
Gray, A. J. (see Thompson, J. D.), 115, 129, 141
Griffith, G. S. & Boddy, L., Fungal decomposition of attached angiosperm twigs. II. Moisture relations of twigs of ash (*Fraxinus excelsior* L.), 251
——, Boddy, L., Fungal decomposition of attached angiosperm twigs. III. Effect of water potential and temperature on fungal growth, survival and decay of wood, 259
——, Boddy, L., Fungal decomposition of attached angiosperm twigs. IV. Effect of water potential on interactions between fungi on agar and in wood, 633
Hann, J. (see Ball, E.), 473, 483
Haug, I., Weber, R., Oberwinkler, F. & Tschen, J., Tuberculate mycorrhizas of *Castanopsis borneensis* King and *Engelhardtia roxburghiana* Wall, 25
Henson, I. E. & Turner, N. C., Stomatal responses to abscisic acid in three lupin species, 529
Hock, B. (see Beyrle, H.), 665
Hodgson, J. (see Turner, J.), 165
Hodkinson, H. (see Briggs, D.), 153
Hutchinson, T. C. (see Paliouris, G.), 449
——, (see Outridge, P. M.), 597
Jones, S. W., Donaldson, S. P. & Deacon, J. W., Behaviour of zoospores and zoospore cysts in relation to root infection by *Pythium aphanidermatum*, 289
Juniper, B. E. (see Whatley, J. M.), 209
Justin, S. H. F. W. & Armstrong, W., A reassessment of the influence of NAA on aerenchyma formation in maize roots, 607
Keller, F. (see Diettrich, B.), 413
——, Carbohydrate transport in discs of storage parenchyma of celery petioles. II. Uptake of mannitol, 423
Kent Crookston, R. (see Collins Johnson, N.), 657
Kluge, M. (see Ball, E.), 473, 483
Koide, R. T., Tansley Review No. 29. Nutrient supply, nutrient demand and plant response to mycorrhizal infection, 365
Kothari, S. K., Marschner, H. & Römheld, V., Effect of a vesicular-arbuscular mycorrhizal fungus and rhizosphere micro-organisms on manganese reduction in the rhizosphere and manganese concentrations in maize (*Zea mays* L.), 649
Kullman, L., Cataclysmic response to recent cooling of a natural boreal pine (*Pinus sylvestris* L.) forest in northern Sweeden, 351
Kwan, K. H. M. & Smith, S., Some aspects of the kinetics of cadmium and thallium uptake by fronds of *Lemna minor* L., 91
Lapinjoki, S. P., Elo, H. A. & Taipale, H. T., Development and structure of resin glands on tissues of *Betula pendula* Roth. during growth, 219
Leake, J. R. & Read, D. J., Proteinase activity in mycorrhizal fungi. III. Effects of protein, protein hydrosylate, glucose and ammonium on production of extracellular proteinase by *Hymenoscyphus ericae* (Read) Korf & Kernan, 309
Lee, H. S. J. (see Ball, E.), 473, 483
Leonard, M. R. (see Evans, L. S.), 557

LE QUERE, J. L. (see MORANDI, D.), 75
LINDERMAN, R. G. (see PAULITZ, T. C.), 303
——, (see DOSSKEY, M. G.), 327
LÜTTGE, U. (see BALL, E.), 473, 483
MACNAIR, M. R. (see MEHARG, A. A.), 225
MAIJALA, P., FAGERSTEDT, K. V. & RAUDASKOSKI, M., Detection of extracellular cellulolytic and proteolytic activity in ectomycorrhizal fungi and *Heterobasidion annosum* (Fr.) Bref., 643
MANSFIELD, T. A. (see ATKINSON, C. J.), 535
MARSCHNER, H. (see KOTHARI, S. K.), 649
MARTIN, R. C., VOLDENG, H. D. & SMITH, D. L., Nitrogen transfer from nodulating soybean [*Glycine max* (L.) Merr.], to corn (*Zea mays* L.) and non-nodulating soybean in intercrops: direct ^{15}N labelling methods, 233
MCCUNE, D. C. (see BOYCE, R. L.), 543
MCLEAN, B. (see WHATLEY, J. M.), 209
MCNEILLY, T. (see THOMPSON, J. D.), 115, 129, 141
MEHARG, A. A. & MACNAIR, M. R., Uptake, accumulation and translocation of arsenate in arsenate-tolerant and non-tolerant *Holcus lanatus* L., 225
MENGE, J. A. (see SCHWAB, S. M.), 387
MILLARD, P. & PROE, M. F., Leaf demography and the seasonal internal cycling of nitrogen in sycamore (*Acer pseudoplatanus* L.) seedlings in relation to nitrogen supply, 587
MOORE, D., Perception and response to gravity in higher fungi – a critical appraisal, 3
MORANDI, D. & LE QUERE, J. L., Influence of nitrogen on accumulation of isosojagol (a newly detected coumestan in soybean) and associated isoflavonoids in roots and nodules of mycorrhizal and non-mycorrhizal soybean, 75
NEWTON, A. C. & PIGOTT, C. D., Mineral nutrition and mycorrhizal infection of seedling oak and birch. I. Nutrient uptake and the development of mycorrhizal infection during seedling establishment, 37
——, PIGOTT, C. D., Mineral nutrition and mycorrhizal infection of seedling oak and birch. II. The effect of fertilizers on growth, nutrient uptake and ectomycorrhizal infection, 45
——, Mineral nutrition and mycorrhizal infection of seedling oak and birch. III. Epidemiological aspects of ectomycorrhizal infection, and the relationship to seedling growth, 53
NIGHSWANDER, J. E. (see ZOBEL, A.), 565
NORBY, R. J. & O'NEILL, E. G., Leaf area compensation and nutrient interactions in CO_2-enriched seedlings of yellow-poplar (*Liriodendron tulipifera* L.), 515
OBERWINKLER, F. (see HAUG, I.), 25
O'NEILL, E. G. (see NORBY, R. J.), 515
ORTHEN, B. (see BALL, E.), 473, 483
OUTRIDGE, P. M. & HUTCHINSON, T. C., Induction of cadmium tolerance by acclimation transferred between ramets of the clonal fern *Salvinia minima* Baker, 597
PALIOURIS, G. & HUTCHINSON, T. C., Arsenic, cobalt and nickel tolerances in two populations of *Silene vulgaris* (Moench) Garcke from Ontario, Canada, 449
PAPEN, H. (see THOENE, B.), 575
PATE, J. S. (see STOCK, W. D.), 109
PAULITZ, T. C. & LINDERMAN, R. G., Lack of antagonism between the biocontrol agent *Gliocladium virens* and vesicular-arbuscular mycorrhizal fungi, 303
PENNINGSFELD, F. (see BEYRLE, H.), 665
PFLEGER, F. L. (see COLLINS JOHNSON, N.), 657
PHILIPSON, M. N., Ultrastructure of the *Gliocladium*-like endophyte of perennial ryegrass (*Lolium perenne* L.). I. Vegetative phase and leaf blade sporulation, 271
——, Ultrastructure of the *Gliocladium*-like endophyte of perennial ryegrass (*Lolium perenne* L.). II. Sporulation in the leaf sheath, 281
PIGOTT, C. D. (see NEWTON, A. C.), 37, 45
POLLE, A. & RENNENBERG, H., Superoxide dismutase activity in needles of Scots pine and Norway spruce under field and chamber conditions: lack of ozone effects, 335
POPP, M. (see BALL, E.), 473, 483
PROE, M. F. (see MILLARD, P.), 587
RAFAREL, C. R. & ASHENDEN, T. W., A facility for the large-scale exposure of plants to gaseous atmospheric pollutants, 345
RASINS, E. (see STOCK, W. D.), 109
RAUDASKOSKI, M. (see MAIJALA, P.), 643
RAVEN, J. A., Terrestrial rhizophytes and H^+ currents circulating over at least a millimetre: an obligate relationship?, 177
READ, D. J. (see LEAKE, J. R.), 309
REID, C. P. P. (see ROUSSEAU, J. V. D.), 319
REN, Z. & ABBOTT, R. J., Seed dormancy in Mediterranean *Senecio vulgaris* L., 673
RENNENBERG, H. (see POLLE, A.), 335
——, (see THOENE, B.), 575
RENZAGLIA, K. S. & DUCKETT, J. G., Towards an understanding of the differences between the blepharoplasts of mosses and liverworts, and comparisons with hornworts, biflagellate lycopods and charophytes: a numerical analysis, 187
ROBSON, A. D. (see TANG, C.), 243
ROMANI, G. & BEFFAGNA, N., Effect of some triazole fungicides on intracellular pH and on cell membrane permeability in leaves of *Elodea densa* (Planch.) Casp., 431
RÖMHELD, V. (see KOTHARI, S. K.), 649
ROUSSEAU, J. V. D. & REID, C. P. P., Effects of phosphorus fertilization and mycorrhizal development on phosphorus nutrition and carbon balance of loblolly pine, 319
RUBIO, R. (see AZCÓN, R.), 399
SANDERS, G. E., CLARK, A. G. & COLLS, J. J., The influence of open-top chambers on the growth and development of field bean, 439
SCHMITT, A. (see BALL, E.), 473, 483
SCHRÖDER, P. (see THOENE, B.), 575
SCHWAB, S. M., MENGE, J. A. & TINKER, P. B., Regulation of nutrient transfer between host and fungus in vesicular–arbuscular mycorrhizas, 387
SHARDENDU, & AMBASHT, R. S., Relationship of nutrients in water with biomass and nutrient accumulation of submerged macrophytes of a tropical wetland, 493
SIMMONS, S. R. (see COLLINS JOHNSON, N.), 657
SIMPSON, R. J. (see CULVENOR, R. A.), 81
SMITH, D. L. (see MARTIN, R. C.), 233
SMITH, F. A. (see GIANINAZZI-PEARSON, V.), 61
SMITH, S. (see KWAN, K. H. M.), 91
SMITH, S. E. (see GIANINAZZI-PEARSON, V.), 61
SÖDERSTRÖM, B. (see ERLAND, S.), 405
STEVEN, G. & DICKSON, J. H., The vegetational history of Glen Diomhan, North Arran, site of endemic whitebeams, *Sorbus arranensis* Hedl. and *S. pseudofennica* E.F. Warb., 501
STOCK, W. D., PATE, J. S. & RASINS, E., Seed developmental patterns in *Banksia attenuata* R. Br. and *B. laricina* C. Gardner in relation to mechanical defence costs, 109
TAIPALE, H. T. (see LAPINJOKI, S. P.), 219
TANG, C., ROBSON, A. D. & DILWORTH, M. J., Which stage of nodule initiation in *Lupinus angustifolius* L. is sensitive to iron deficiency?, 243
THE NEW PHYTOLOGIST, , An approaching centenary: its contribution to the plant sciences, 1
THOENE, B., SCHRÖDER, P., PAPEN, H., EGGER, A. & RENNENBERG, H., Absorption of atmospheric NO_2 by spruce (*picea abies* L. Karst.) trees. I. NO_2 influx and its correlation with nitrate reduction, 575
THOMAS, J. D. (see DAVIES, M. S.), 103
THOMPSON, J. D., MCNEILLY, T. & GRAY, A. J., Population variation in *Spartina anglica* C. E. Hubbard. I. Evidence from a common garden experiment, 115
——, MCNEILLY, T., GRAY, A. J., Population variation in *Spartina anglica* C. E. Hubbard. II. Reciprocal transplants among three successional populations, 129
——, MCNEILLY, T., GRAY, A. J., Population variation in *Spartina anglica* C. E. Hubbard. III. Response to substrate variation in a glasshouse experiment, 141
TING, I. P. (see BALL, E.), 473, 483
TINKER, P. B. (see SCHWAB, S. M.), 387
TSCHEN, J. (see HAUG, I.), 25
TURNER, J. & HODGSON, J., Studies in the vegetational history of the Northern Pennines. IV. Variations in the composition of the late Flandrian forests and comparisons with those of the early and mid-Flandrian, 165
TURNER, N. C. (see HENSON, I. E.), 529
VOLDENG, H. D. (see MARTIN, R. C.), 233
WEBER, R. (see HAUG, I.), 25
WHATLEY, J. M., MCLEAN, B. & JUNIPER, B. E., Continuity of chloroplast and endoplasmic reticulum membranes in *Phaseolus vulgaris*, 209
WOOKEY, P. A. (see ATKINSON, C. J.), 535
ZOBEL, A. & NIGHSWANDER, J. E., Accumulation of phenolic compounds in the necrotic areas of Austrian and red pine needles after spraying with sulphuric acid: a possible bioindicator of air pollution, 565

Subject Index

Plant nutrient ecology, 365
^{15}N, 399
Abaxial/adaxial, 529
Aberrant sieve elements, 619
Abscisic acid, 529, 535
Acclimation, 597
Acer pseudoplatanus, 587
Acid precipitation, 543
Acid rain injury, 565
Aerenchyma, 607
Aluminium, 177
Amino-acid composition, 109
Angiosperm twigs, 259
Antibiosis, 633
Apium graveolens, 423
Arsenate tolerance, 225
Arsenate uptake, 225
Arsenic, 449
Ash fertilization, 405
Ash (*Fraxinus excelsior*), 251
Ash twigs, 633
Atmospheric CO_2, 515
ATP, 61
Auxin, 607
Balsam fir, 543
Banksia, 109
Betula, 219
Betula pendula, 37, 45, 53
Bioconcentration, 91
Bioindicators, 557
Birch, 219
Blanket peat, 501
Boreal forest, 351
Bryophytes, 187
Cadmium, 91, 597
Calcareous soil, 649
CAM-phases, 483
Canopy development, 439
Carbon allocation, 327
Carbon balance, 319
Castanopsis borneensis, 25
Ca–Mg uptake, 399
Celery, 413, 423
Cell size, 103
Chemical defence, 219
Chickweed, 153
Chloroplast, 209
Circulating current, 177
Citric acid, 483
Climatic cooling, 351
Clonal plants, 597
Closed chamber, 345
Clusia rosea, 473, 483
CO_2 assimilation, 515
CO_2-recycling, 483
Cobalt, 449
Colchicine, 619
Common garden, 115
Competition, 405
Conidiogenesis, 281
Contact angle, 543
Corn (*Zea mays*), 233
Cropping history, 657
Cucumber, 303
Cytoenzymology, 61
Dactylorhiza incarnata, 665
Decay communities, 259
Decay rate, 259
Defence, 109
Defoliation, 81
Deposition, 575
Douglas fir, 327
Ecotypic variation, 673
Ectomycorrhiza, 37, 45, 53, 319, 327, 405, 643
Edaphic factors, 657
Elodea densa, 431
Encystment, 289
Endemic *Sorbus* spp, 501
Endoplasmic reticulum, 209
Engelhardtia rosburghiana, 25
Epidemiology, 53
Epiphytes, 473, 483
Ericoid mycorrhiza, 309
Ethene, 607
Extension rate, 259
Extracellular enzymes, 643
Fertilizer, 45
Festuca rubra, 103
Flagella, 187
Flandrian, 165
Forest history, 165, 351
Freeze-fracturing, 209
Frost-drought, 351
Fuchsia magellanica, 461
Fumigation, 345
Fungal cellulolytic enzymes, 643
Fungal proteases, 643
Genotype–environment interaction, 141
Germination, 673
Gliocladium virens, 303
Gliocladium-like endophyte, 271, 281
Glomus etunicatum, 303
Glomus mosseae, 303, 649
β-Glycerophosphate, 61
Gravimorphogenesis, 3
Graviperception, 3
Gravitropism, 3
Growth, 461, 587
Heathland, 309
Higher fungi, 3
Holcus lanatus, 225
Hordeum vulgare (barley), 535
Induced tolerance, 597
Influx, 91
Inhibitors, 61
Internal resistance, 575
Interspecific interactions, 633
Intracellular pH, 431
Invertase, 413
Iron, 177
Iron deficiency, 243
Iron reducers, 649
Iron translocation, 243
Isoflavonoids, 75
Kok-effect, 473
Leaf conductance, 461
Lemna minor, 91
Light, 461
Light-dependence of photosynthesis, 473
Lime, 405
Liriodendron tulipifera (yellow-poplar), 515
Lupin, 529
Lupinus angustifolius, 243
Maize, 607, 657
Male gametes, 187
Malic acid, 483
Manganese reducers, 649
Mannitol transport, 423
Membrane continuity, 209
Membrane permeability, 431
Metal tolerance, 449
Microbial population, 649
Microclimate, 439
Mineral nutrition, 37

Mobilization, 81
Moisture variation, 251
Molybdenum, 177
Multilayered structure, 187
Mycorrhiza, 75
Mycorrhizal dependency, 365
^{15}N petiole-labelling, 233
^{15}N root-labelling, 233
N_2 fixation, 399
NAA, 607
Nickel, 449
Nitrate reductase, 575
Nitrogen, 75, 81, 665
Nitrogen dioxide, 345, 535, 575
Nitrogen nutrition, 309
Nitrogen remobilization, 587
Nitrogen storage, 587
Nitrogen transfer, 233
Nodule initiation, 243
Nodules, 75
Nutrient accumulation, 493
Nutrient deficiency, 515
Nutrient deficit, 365
Nutrient demand, 365
Nutrient supply, 365
Nutrient utilization efficiency, 365
Nutrients in water, 493
Open-top chambers, 439
Orchid mycorrhiza, 665
Outcrossing, 153
Ozone, 335, 345, 557
Pennines, 165
pH, 177
Phenolic compounds, 565
Phenotypic plasticity, 141
Phloem, 619
Phloem unloading, 413, 423
Phosphate translocator, 387
Phosphorus, 365
Phosphorus nutrition, 319
Photosynthate transfer, 387
Photosynthesis, 327, 461
Photosynthetic flexibility, 483
Phylogeny, 187
Phytohormones, 665
Pine (*Pinus sylvestris*), 335, 351, 405
Pinus taeda, 319
Pisolithus tinctorius, 319
Plasma membranes, 61
Plasticity, 129
Plastid, 209
Polar growth, 633
Pollen analysis, 501
Pollution, 557
Pollution bioindicator, 565
Population variation, 115
Precocious development, 153
Pre-sporulation, 271
Production, 493
Proteaceae, 109
Protein, 103, 335
Proteinase induction, 309
Proteinase repression, 309
Pythium aphanidermatum, 289
Quercus robur, 37, 45, 53
Reciprocal transplants, 129
Red spruce, 543
Regeneration, 37
Regrowth, 81
Reproductive development, 439
Resin excretion, 219
Resources, 109
Rhizobium–legume symbiosis, 399
Rhizoctonia, 665
Rhizosphere soil, 649
Root exudates, 387
Root infection, 289
Root primordia, 103
Roots, 607
Ryegrass (*Lolium perenne*), 271, 281
Salt marsh, 115, 129, 141
Salvinia minima, 597
Scotland, 501
Seed development, 109
Seed dormancy, 673
Seedling, 45
Senecio vulgaris, 673
Senescence, 587
Sequoiadendron, 557
Sheath sporulation, 281
Shoot conductance, 575
Silene vulgaris, 449
Soil aggregation, 649
Sorption isotherms, 251
Soybean (*Glycine max*), 75, 233, 657
Spartina anglica, 115, 129, 141
Spermatogenesis, 187
Spore germination, 289
Spore populations, 657
Sporulation, 271
Spruce (*Picea abies*), 335, 575
Stand-level dieback, 351
Stellaria media, 153
Stomata, 529, 535
Strangler, 473
Succession, 115, 129, 141
Sugar transport, 413
Sulphur dioxide, 345, 535
Sulphuric acid spray, 565
Superoxide dismutase, 335
Taiwan, 25
The Tansley Fund, 2, 175
Thallium, 91
Thermal time, 439
Tree-ring analysis, 351
Triazoles, 431
Trifolium subterraneum, 81
Triterpenes, 219
Tropical wetland, 493
Tropism, 289
Tuberculate mycorrhizas, 25
Turgor-dependence, 413, 423
Twigs, 251
Ultrastructural damage, 565
Ultrastructure, 25, 271, 281
VA mycorrhiza, 61
VA mycorrhizal fungi, 657
Vegetative hyphae, 271
Vertical split-root, 243
Vesicular–arbuscular mycorrhizal fungus, 303, 649
Vesicular–arbuscular mycorrhiza, 387, 399
Vicia faba, 439
Vigna sinensis leaves, 619
Water deficits, 529
Water potential, 259
Water stress, 327
Water-use efficiency, 515
Weed control measures, 153
Wettability, 543
Winter annual, 673
Zea mays, 649
Zinc, 103
Zoospore taxis, 289

REVIEWS

Index of Books Received

AARON, J. R. & RICHARDS, E. G., *British Woodland Produce* 511
ADAM, P., *Saltmarsh Ecology* 679
CAMPBELL, C. L. & MADDEN, L. V., *Introduction to Plant Disease Epidemiology* 511
CRONQUIST, A., *The Evolution and Classification of Flowering Plants* 513
DAVIES, R. E. & LLOYD, K. M., *Kew Index for 1988.* Compiled by R. E. Davies and K. M. Lloyd 514
DUKE, J. A., *Ginseng: a Concise Handbook* 508
IQBAL, M. (Ed.), *The Vascular Cambium* 364
JALAS, J. & SUOMINEN, J. (Eds), *Atlas Florae Europaeae* 513
JOHN, B., *Meiosis* 509
JONES, H. G., FLOWERS, T. J. & JONES, M. B. (Eds), *Plants under Stress* 362
JUNIPER, B. E., ROBINS, R. J. & JOEL, D. M., *The Carnivorous Plants* 512
KENG, H., *The Concise Flora of Singapore* 513
LARSSON, C. & MØLLER, I. M., *The Plant Plasma Membrane. Structure, Function and Molecular Biology* 507
MAYER, A. M. & ORSHAM, G. (Eds), *Germination Physiology and Desert Ecology* (*Israel Journal of Botany*, vol. 39, nos 4–6, 291–518) 508
NOWAK, J. & RUDNICKI, R. M., *Postharvest Handling and Storage of Cut Flowers, Florist Greens and Potted Plants* 681
REILLE, M., *Leçons de Palynologie et d'Analyse Pollinique* 514
ROWAN, K. S., *Photosynthetic Pigments of Algae* 507
SCHWINTZER, C. R. & TJEPKEMA, J. D. (Eds), *The Biology of* Frankia *and Actinorhizal Plants* 361
SIMPSON, G. M., *Seed Dormancy in Grasses* 362
SMITH, C. M., *Plant Resistance to Insects. A Fundamental Approach* 363
SPRENT, J. I. & SPRENT, P., *Nitrogen Fixing Organisms* 510
TOMLINSON, P. B., *The Structural Biology of Palms* 512

Index of Reviewers

BLYTH, J. 511
BURTT, B. L. 512
CORNER, E. J. H. 514
CRAWFORD, R. M. M. 509
CUTLER, D. F. 364
DALE, J. E. 363
DICKSON, J. H. 514
DYER, A. F. 510
HALL, J. L. 507
HILTON, J. R. 362
LENNARD, J. H. 511
MINCHIN, F. 511
NORTON, T. A. 508
PHILLIPSON, J. D. 508
SMITH, P. M. 513, 513, 513, 514
SPRENT, J. I. 361
TURNER, R. G. 681
VAN EMDEN, H. F. 363
WHEELER, B. D. 680